



Kid's Odour-less All In One Art Paint

立邦兒童漆小羊皮效果漆

Creating an artistic space
with textured layers

紋理層次質感
塑造藝術空間

Refresh your Life



Nippon Paint Kid's Odour-less Art Paint 立邦兒童漆小羊皮效果漆



Nippon Paint Kid's Odour-Less All In One Art Paint is a textured paint that gives eggshell finish and lambskin texture effect. The product is easy to apply, and with special rollers and tools, it can create a variety of unique lambskin textures suitable for large areas of the whole house. The effect is delicate and smooth, allowing the walls to have a rich texture and giving the home space a refreshing color and texture. This product is formulated with silver ion technology, which is effectively against a variety of common viruses¹ and bacteria. It can resist 11 kinds of bacteria² and 11 kinds of fungus³. It is odour-less, eco-sense⁴ and capable of purifying air by abating harmful formaldehyde⁵. It also achieves the standard of first-grade anti-stain⁶ and keep the wall color last longer. It effectively solves indoor wall problems while creating a beautiful effect for you and your child, creating a fresh and clean space and bringing a unique upgrade and protection to your home.

立邦兒童漆小羊皮效果漆是一款具有蛋殼光澤及羊皮紋理質感效果的塗料，產品施工簡單，透過專用滾筒及工具可塗刷出多款獨特小羊皮紋理，適合全屋大面積施工，效果細膩光滑，可讓牆面富有紋理層次感，賦予家居空間煥然一新的色彩與質感。產品採用銀離子技術，能殺滅多種常見病毒¹，同時具有抗菌防霉功能，可有效抵禦11種細菌²及11種霉菌³。此外，產品淨味環保，不僅自身無添加⁴甲醛，且能淨化室內空氣中的游離甲醛⁵，並達I級抗污⁶標準，能讓牆面色彩持久繽紛亮麗，有效解決室內牆面問題的同時帶來美觀效果，為您及孩子營造一個清新、潔淨的空間，為家居帶來獨一無二的升級守護。

Outstanding Features 產品特點

- Ag+ Anti-virus 銀離子抗病毒
- Formaldehyde Abatement 分解甲醛
- First-grade Anti-stain I級抗污
- First-grade Anti-bacteria up to 99.9% I級抗菌達99.9%
- Excellent Anti-fungus 超強防霉
- Eco-sense 無添加
- Nearly Zero VOC 近乎零VOC
- Odour-less, Eco-friendly 淨味環保
- Cover Hairline Cracks 覆蓋細微裂紋
- Excellent Washability 超級耐擦洗
- Excellent Hiding Power 遮蓋力佳
- Eggshell Finish 蛋殼光澤
- Computerized Color Matching 電腦調色

- 羊皮質感
- Ag⁺ 抗病毒
- I 級抗菌
- 分解甲醛
- I 級抗污
- 可調千色

Theoretical Coverage 理論覆蓋值

12-13 sq.m/litre/coat (30 microns DFT)
12-13平方米/升/層 (乾膜厚度: 30微米)

Drying Time 乾燥時間 (at 25-30°C)

Touch Dry 觸乾時間: 60mins 60分鐘
Recoating 重塗間隔時間: At least 2 hours 最少2小時

Packing 包裝

1 Litre, 4 Litres 1升, 4升

Finish 光澤

Eggshell Finish 蛋殼光澤

International Certifications Safety guaranteed
國際權威認證 安全安心保證



芬蘭M1認證標準



符合A+環保高標準



美國食品藥物管理局認證



美國綠色衛士室內空氣質量金級認證

It can create a variety of unique textures with special tools. 透過專用工具可塗刷出多款獨特紋理

* Textures and colors in photos are for reference only. 相片中的紋理及顏色效果僅供參考



Lambskin
小羊皮紋理

Colour 顏色:
NN5220-3

Tool code 工具編號:
#159 + #413



Velvety
絨花小羊皮紋理

Colour 顏色:
NN0851-4

Tool code 工具編號:
#159 + #413, #427



Snowflake
雪花小羊皮紋理

Colour 顏色:
NN7870-3 + OW067-4

Tool code 工具編號:
#159 + #413, #429 + #411



Seaweed stroke
海藻拍小羊皮紋理

Colour 顏色:
NN2570-3 + OW067-4

Tool code 工具編號:
#159 + #413, #428



**Upgrade your walls, enhance the artistic atmosphere
為牆壁升級 增添藝術氛圍**

Nippon Paint Kid's Odour-Less All In One Art Paint can create a delicate texture that enhances the depth and three-dimensionality of the wall surface. It is suitable for large-scale painting throughout the entire house, whether it is the living room, bedroom, study room, dining room or even restaurant or office. It can infuse a space with an artistic ambiance and personalized style, also injecting a unique charm.

立邦兒童漆小羊皮效果漆能夠呈現出細膩的紋理，使牆面更富有層次感和立體感，適合用於全屋大面積塗刷，無論是客廳、睡房、書房還是餐廳、辦公室，都能為空間增添藝術氛圍和個性風格，注入獨特魅力。



Tip
提示

The depth and density of the texture may vary depending on application techniques, which also affect the paint colors. We recommend testing on drawing paper before painting the entire wall.

[Textures and colors in photos are for reference only]

紋理深淺或疏密效果會因施工工藝不同而有差別，同時會影響顏色效果，建議上漆前先在畫紙上進行測試。
[相片中的紋理及顏色效果僅供參考]

Color Mix & Match 色彩配搭推介

備有1988種電腦調色選擇

Seaweed Stroke 海藻拍小羊皮紋理




主色
NN0907-4 可可蛋奶

副色
OW033-4 珍珠白



主色
NN0212-3 青衣水袖

副色
OW061-4 明斯克灰



主色
BN6451-4 藍灰

副色
OW045-4 海濱微風



主色
NN0004-4 復古橡粉

副色
OW061-4 明斯克灰

Snowflake 雪花小羊皮紋理



主色
BN6490-2 藍色莊園

副色
OW067-4 杏子灰



主色
NN0385-4 幻影灰

副色
OW061-4 明斯克灰



主色
NN2570-3 布萊墾棕

副色
OW067-4 杏子灰



主色
NN1370-3 銀燭臺

副色
NN0395-2 瀝青

All colors shown in photographs may vary from actual paint colors due to lighting and printing. For reference only. All colors on this card are subjects to the original paint colors.

由於攝影時的燈光及印刷技術之影響，此色版相片中之顏色與實際漆油顏色有所不同。此色咭上的顏色只作參考用途，一切以原漆顏色為準。

Application Method

施工步驟

Lambskin Texture 小羊皮紋理

Step 步驟	Product 產品	Dilution 稀釋比例	Tools 施工工具	Method 施工方法
1. Apply sealer with roller 滾塗底漆	Nippon Paint Odour-less Color Sealer 立邦淨味幻彩底漆	Clean water 清水 <20%	Nippon Paint 9" Classic Polyester Roller 立邦9寸快塗寶經典油輻 (Code: 159 & 413)	Roll on 1 coat of sealer evenly 均勻滾塗1層
2. Apply 2 top coats with roller 滾塗2層面漆	Nippon Paint Kid's Odour-Less All In One Art Paint 立邦兒童漆小羊皮效果漆	No dilution 不用稀釋		Roll on 2 coats of top coat evenly 均勻滾塗2層

Velvety Texture 絨花小羊皮紋理

Step 步驟	Product 產品	Dilution 稀釋比例	Tools 施工工具	Method 施工方法
1. Apply sealer with roller 滾塗底漆	Nippon Paint Odour-less Color Sealer 立邦淨味幻彩底漆	Clean water 清水 <20%	Nippon Paint 9" Classic Polyester Roller 立邦9寸快塗寶經典油輻 (Code: 159 & 413)	Roll on 1 coat of sealer evenly 均勻滾塗1層
2. Apply 1st coat of top coat with roller 滾塗第1層面漆		No dilution 不用稀釋		Roll on 2 coats of top coat evenly 均勻滾塗1遍
3. Apply 2nd coat of top coat with roller 滾塗第2層面漆	Nippon Paint Kid's Odour-Less All In One Art Paint 立邦兒童漆小羊皮效果漆		Nippon Paint 9" Classic Polyester Roller 立邦9寸快塗寶經典油輻 (Code: 159 & 413) Nippon Paint Line Pattern Rubber Roller 立邦橡膠線條壓花輻 (Code: 427)	Roll on 1 coat with 9" Class Polyester Roller, then immediately apply the Line Pattern Rubber Roller from top to bottom in vertical and create a uniform pattern texture. 用立邦9寸快塗寶經典油輻均勻滾塗1層，然後立即用立邦橡膠線條壓花輻從上到下垂直均勻壓花，使紋理均勻呈現

Remarks 備註:
Avoid repeatedly applying the pattern roller at same area. It is recommended to have two people working together when painting a large area. If there is only one person, it is recommended to roll 1-2 m² of wall at a time and then repeat the process to prevent the paint from drying and achieve better results.
避免反復在同一位置進行壓花，建議在塗刷大面積時有兩個人一起施工，如一人操作，建議每塗刷1-2平方米的牆面就開始壓花，然後重覆操作，以防止油漆乾燥並獲得更好的效果。

Available in 1988 Color Creation Colors. Please visit Nippon Paint Color Creation Center for color selection.

備有1988夢幻千色以供選擇，請到立邦配色中心參閱。



Painting Tutorial Video

更多紋理效果施工教學短片



Nippon Paint Refresh Service

立邦刷新服務

We provide a comprehensive one-stop renovation service where you do not need to worry about anything during the entire process. We offer high-quality product guarantees and all costs are standardized. Our professional construction team will handle the entire process and create an artistic atmosphere for your walls. 全面一站式的刷新服務，整個過程中完全不用讓您操心，為您提供優質產品保障。所有費用都屬於標準化收費，並由專業施工團隊施工，輕鬆為家居牆身打造藝術氛圍。

Hotline 服務熱線: 2699 9333

Remarks 備註:

- Anti-viruses: According to T/CNCIA 01014-2020 "Anti-bacterial and anti-viral coatings" test standard. Tested viruses: Influenza A Virus (H3N2), Enterovirus Type 71 (EV71). After 24 hours of testing, the results achieve the requirements of first grade anti-viral.
抗病毒: 根據T/CNCIA 01014-2020《抗菌及抗病毒塗料》標準。測試病毒: 甲型流感病毒(H3N2), 腸道病毒71型(EV71), 經24小時測試, 結果符合抗病毒性能I級要求。
- Anti-bacteria: According to GB/T 21866-2008 "Test method and effect for antibacterial capability of paints film" test standard.
抗菌: 根據GB/T 21866-2008《抗菌塗料(漆膜)抗菌性測定法和抗菌效果》標準測試。
- Anti-fungus: According to GB/T 1741 "Test method for determining the resistance of paints film to mold" test standard.
防霉: 根據GB/T 1741《漆膜耐霉菌性測定法》標準測試。
- Eco-sense: product has no added benzene, formaldehyde and Volatile organic compounds (VOC) during production.
無添加: 產品在配方及生產過程中未有人為添加苯、甲醛及揮發性有機化合物 (VOC)。
- Formaldehyde Abatement: According to JC/T 1074 "Purificatory performance of coatings with air purification" test standard
分解甲醛: 根據JC/T 1074《室內空氣淨化功能塗覆材料淨化性能》標準測試。
- Anti-stain function is recognized by the "HG/T 4756-2014 National Quality Supervision Testing Center for Paint" as first grade (only applicable to white and light colors).
I級抗污: 根據HG/T 4756-2014《內牆耐污漬乳膠塗料》(I級)標準 (只適用於白色及淺色)。

Technical Information

技術資料

Surface Preparation 表面處理

- Prepare unpainted surface 新建牆面：
Remove any dust, grease and loose matter. Surface should be clean, dry & stable.
清除表面灰塵、油膩和鬆散泥灰，如困有孔隙及時修補，確保牆面清潔乾燥和平整。
- Prepare painted surface 重塗牆面：
Remove old layers, dust and contaminant. Sand all glossy, rough or patchy surfaces.
剷除舊牆面不牢固的漆膜，清除表面灰塵粉化和雜質，批平打磨，清洗並徹底乾燥。

Recommended Application 施工方法

- 1 coat of Nippon Paint Odour-less Color Sealer.
一層立邦淨味幻彩底漆
- 2-3 coats of Nippon Paint Kid's Odour-less All In One Art Paint
二至三層立邦兒童漆小羊皮效果漆

Dilution 稀釋

- Using roller or sponge — No dilution is necessary for best performance
輥塗或拍塗 — 不用稀釋。
- Stir well before use. 使用前應攪拌均勻。

Product Page
產品介紹



Related Products

配套產品

Surface Preparation 牆面處理



Nippon Paint Odour-less Wall Putty
立邦淨味批牆灰
Smoothing uneven substrates
修補及填平凹凸牆面



Nippon Paint Odour-less Color Sealer
立邦淨味幻彩底漆
Sealing and adhesive powers
封閉底材及提供附著力



Selleys No More Gaps Multipurpose Gap Filler
犀利牌彈性填縫劑
A flexible and paintable gap filler, perfect choice for interior and exterior gap filling and sealing
可上油漆及具彈性，適用於室內及室外的縫隙填補



Nippon Paint Anti-fungus Solution
立邦水性防霉劑
Killing mould and algae
除霉殺菌

Tool 工具



Nippon Paint 9" Classic Polyester Roller
立邦9寸快塗寶經典油輥 (Code: 159 & 413)



Nippon Paint Line Pattern Rubber Roller
立邦橡膠線條壓花輥 (Code: 427)



Nippon Paint Imitation Seaweed Sponge
立邦仿海藻拍 (Code: 428)



Nippon Paint Art Paint Roller
立邦藝術紋理漆專用滾筒 (Code: 429 & 411)

即享nClub非凡體驗



NIPPON PAINT (H.K.) CO., LTD.

Tel: (852) 2699 9333 Fax: (852) 2602 8844 Email: np@nipponpaint.com.hk

www.nipponpaint.com.hk

A MEMBER OF THE NIPSEA GROUP

