



**NIPPON
PAINT**


The Odour-less series

Odour-less 5-in-1

Formaldehyde-Buster (Bamboo Charcoal Technology)
Interior Emulsion Paint 立邦抗甲醛淨味五合一(竹炭配方)內牆乳膠漆

Odour-less 5-in-1

(Moisture-Proof)
Interior Emulsion Paint 立邦防潮淨味五合一內牆乳膠漆



Refresh your Life

抗霉菌 抗甲醛

Nippon Paint Formaldehyde-Buster Odour-less 5-in-1

(Bamboo Charcoal Technology) Interior Emulsion Paint
立邦抗甲醛淨味五合一(竹炭配方)內牆乳膠漆



Nippon Paint Formaldehyde-Buster Odour-Less 5-In-1 (Bamboo Charcoal Technology) Interior Emulsion Paint is combining both "Odour-less" and "Formaldehyde Abatement" advanced technologies, it decreases a certain level of harmful formaldehyde in interior with five outstanding functions.

立邦抗甲醛淨味五合一內牆乳膠漆是「立邦淨味技術」和「分解甲醛」技術完美結合的全新產品。塗刷後將每日24小時不間斷的有效降低室內空氣中的甲醛含量，然後轉化為安全的「水」分子。它還具有超級耐擦洗、特強遮蓋力、防水透氣、彌蓋細微裂紋、超強抗霉等五大功能。並獲得國家級最高研究所認證功效，效果顯著*。

Outstanding Features 產品特點

- Interior Formaldehyde Abatement 降低甲醛
- Odourless, Low VOC 淨味、低VOC
- Extirpated & Kill Fungus 殺滅霉菌、連根拔起
- Super Waterproof 超強透氣防水
- Cover Hairline Cracks 覆蓋細微裂紋
- Good Washability 超級耐擦洗
- Excellent Hiding Power 遮蓋力優異



Theoretical Coverage 理論覆蓋值:

14 sq.m/litre/coat (30 microns DFT)
14平方米/升/層 (乾膜厚度: 30微米)

Drying Time (at 25-30°C)

- Touch Dry 觸乾時間: 1 hour 1小時
- Recoating 重塗間隔時間: At least 2-3 hours 最少2-3小時

Recognized by National Inspection & Test Center
榮獲國家級最高研究所認證



* According to Building and Engineering Materials standard: JC/T1074-2008, the test of Purificatory performance of coatings with air purification.

防潮透氣 高遮蓋力

Nippon Paint Odour-less 5-in-1 (Moisture-Proof)

Interior Emulsion Paint
立邦防潮淨味五合一內牆乳膠漆



Nippon Paint Odour-less 5-in-1 (Moisture-Proof) Interior Emulsion Paint is using advanced moisture-proof technology to reduce the humidity from walls and against mold growth. It gives a very smooth finishing and easy to apply, also has 5 outstanding interior coating functions: excellent hiding power, anti-fungus, waterproof, washability and low VOC. Those are ideal for top quality wall decorative and particularly suitable for repainting use.

立邦防潮淨味五合一內牆乳膠漆採用了特別的防潮透氣技術，令漆膜暢快呼吸，能有效釋放牆身內部潮氣水氣，降低發霉機會。產品順滑易塗，同時結合五大功能：高遮蓋力、防霉、透氣防水、強效耐擦洗、低VOC，並與淨味環保性能的完美結合之下，一次解決多種牆身問題，是室內裝修新牆塗刷及重塗翻新的理想選擇。

Outstanding Features 產品特點


- Moisture-Proof 防潮透氣
- Excellent Hiding Power 特強高遮蓋力
- Smoothness and Easy Application 順滑易塗
- Good Anti-Fungus 超級防霉
- Waterproof 透氣防水
- Good Washability 強效耐擦洗
- Odour-less, Eco-friendly 淨味環保

Theoretical Coverage 理論覆蓋值:

13-14 sq.m/litre/coat (30 microns DFT)
13-14平方米/升/層 (乾膜厚度: 30微米)

Drying Time (at 25-30°C)

- Touch Dry 觸乾時間: 30 minutes 30分鐘
- Recoating 重塗間隔時間: At least 2 hours 最少2小時




This product passed the test from JIS and was recognized that can prevent paint film damage under cool and heat environment for a long time*. It also can effectively against mold growth#, protect your family health by maintaining good indoor air quality.

產品通過JIS測試證實能長時間抵禦冷熱空氣對漆膜的破壞*及高效防止滋生霉菌#，保持優質室內空氣質素，令家人更健康。

* According to the humidity and cool-heat cycling test report of JIS K5660 : 2008 Cl.7.14.

According to HG/T 3950-2007 test method, the functions of molds resistance achieve the highest grading.

Nippon Paint Formaldehyde-Buster Odour-less 5-in-1 (Bamboo Charcoal Technology) Interior Emulsion Paint 立邦抗甲醛淨味五合一內牆乳膠漆
Nippon Paint Odour-less 5-in-1 (Moisture-Proof) Interior Emulsion Paint 立邦防潮淨味五合一內牆乳膠漆



Chinese Eggplant VA0001-1



Sophia VN0083-4



Jericho Tan NN1020-3






Lime Paradise GC0020-2




Mint Hint GC4651-4




Mango Pudding ON0040-3



All colours shown in photographs may vary from actual paint colours due to lighting and printing.
由於攝於時的燈光及印刷技術之影響，相片中之顏色與實際漆油顏色有所不同。




Sleepy Pink NP0009



Frosted Rose NP0027




Blush NP0015




Berry Wine NP0021


Tinting 調色




Swan Wing NP0010



Sunbaked NP0028




Terra Peach NP0016




Honeynut NP0022


Tinting 調色




Hearth Candle NP0011



Sun Screen NP0029




Minted Lemon NP0017




Moonless NP0023


Tinting 調色




Alpine Echo NP0012



Kiwi NP0030



Lime Bubble NP0018




Jasmine Leaf NP0024


Tinting 調色




Seascape NP0013



Blue Essence NP0031



Neptune NP0019




Shy Sky NP0025


Tinting 調色



Wild Iris NP0014



Violet Note NP0032



Plum Sparkle NP0020



Lazy Phlox NP0026

White 白色 / Black 黑色 [NN7800-1]

Tinting 調色

All colours shown are as close to the actual Nippon Paint colours as modern printing techniques permit.

For reference only. All colours are subject to the original paint colours.

本漆版是現代印刷技術所能印出最接近的原漆顏色，只作參考用途。一切顏色以原漆顏色為準。

It is also available in White colour.

產品另有白色可供選擇。

Dark colours are recommended the additional coats for best results.

深色顏色建議塗刷多遍，以達到滿意效果。

Tinting 調色

Represents Tinting Colours. Prices are different with Standard Colours. Please consult the retail shop for detailed quotation. 代表電腦調色，價格與標準顏色有異。詳情請向店舖查詢。




Formaldehyde-Buster Odour-less 5-in-1 (Bamboo Charcoal Technology) Interior Emulsion Paint
立邦抗甲醛淨味五合一(竹炭配方)內牆乳膠漆




Odour-less 5-in-1 (Moisture-Proof) Interior Emulsion Paint
立邦防潮淨味五合一內牆乳膠漆


Creamy White / 粉透亮白系列




Peach White NP0001



Honey White NP0004




Pink Rose White NP0002




Eggplant White NP0008




Green Apple White NP0005




Grass White NP0006




Sky White NP0007



Raspberry White NP0003



Nordic White NP0033



Grey Cotton White NP0034

Colour your dream house
實現您想色彩


Colour Creations Tinting Colours / 電腦調色系列 Tinting 調色



Little Boy Blue BC6820-3



Green Thumb GC4590-2




Flavour Of Love RC0023-4



Scorching Sun ON0032-2




Rich Violet VC0039-3



Beach Hut ON0030-3




Dewdrop BC0021-4



Quiet Blue Lake BC0001-4




Fall Leaf NN0990-2




Green Glow GC4551-4



Purple Lover VC0048-2




Oxford White NN7801-4



Full Frame Rose RC0019-4



Gaily Red RA8300-1



Sunshine Mood YC0034-4



Mauve Mist NN0851-4

i-Color Home Schemer 自家色彩設計師



“Nippon Paint i-Color Home Schemer” helps you preview any colour combination in your home before you actually start painting. Refresh your home with Nippon Paint Colours now.

「立邦 i-Color 自家色彩設計師」能讓你預覽任何居室顏色組合，即登入立邦網站為您家居塗上Nippon Paint 夢幻顏色。

Nippon Paint Tinting Service 立邦配色服務

Nippon Paint aims to provide the most advanced technology for tinting service. Through the simple and convenient steps, the service facilitates the greatest flexibility for you to personalize your home with thousands of colour choices. All these can be right at your fingertip within just a few minutes!

立邦引進先進科技，利用電腦調校出逾千種顏色的『夢幻千色調色系列』。特快電腦配色，過程只需數分鐘，心水顏色立即呈現眼前，實現您想家居！



Select the Product & Colour Code
選擇產品及顏色編號

Paint Calculation
計算塗料用量

Order the paint at Nippon Paint Colour Creations Centres, your paint will be ready within 5-10 minutes. 到立邦配色中心訂購，調色過程只需5-10分鐘，快捷方便。

For the details of Nippon Paint Colour Creations Centres, please visit www.nipponpaint.com.hk
欲知全港立邦配色中心地址，可瀏覽網址 www.nipponpaint.com.hk

Technical Information

技術資料

Surface Preparation 表面處理

- Prepare unpainted surface 新建牆面：
Remove any dust, grease and loose matter. Surface should be clean, dry & stable.
清除表面灰塵、油膩和鬆散泥灰，如果有孔隙及時修補，確保牆面清潔乾燥和平整。
- Prepare painted surface 重塗牆面：
Remove old layers, dust and contaminant. Sand all glossy, rough or patchy surfaces.
剷除舊牆面不牢固的漆膜，清除表面灰塵粉化物和雜質，批平打磨，清洗並徹底乾燥。

Recommended Application 施工方法

- 1 coat of Nippon Paint Odour-less Color Sealer.
一層立邦淨味幻彩底漆
- 2 coats of Nippon Paint Odour-less 5-in-1 Formaldehyde-Buster / Moisture-Proof Interior Emulsion Paint
兩層立邦抗甲醛淨味五合一 / 防潮淨味五合一內牆乳膠漆

Dilution 稀釋

- Using brush and roller — dilute with max. 20% (volume) clean water.
刷塗或輥塗 - 可加入不多於20%(體積比)的清水稀釋。
- Using airless spray — dilute with max. 10% clean water.
無氣噴塗 - 可加入不多於10%的清水稀釋。
- Stir well before use. 使用前應攪拌均勻。

Packing 包裝 1 Litre, 5 Litres 1升, 5升

Finish 光澤 Matt 啞面

Paint Guide 施工教學



Related Products 配套產品

Surface Preparation 牆面處理



Nippon Paint Odour-less Wall Putty
立邦淨味批牆灰
Smoothing uneven substrates
修補及填平凹凸牆面



Nippon Paint Odour-less Color Sealer
立邦淨味幻彩底漆
Sealing and adhesive powers
封閉底材及提供附著力



Selleys No More Gaps Multipurpose Gap Filler
犀利牌彈性填縫劑
A flexible and paintable gap filler, perfect choice for interior and exterior gap filling and sealing
可上油漆及具彈性，適用於室內及室外的縫隙填補



Nippon Paint Anti-fungus Solution
立邦水性防霉劑
Killing mould and algae
除霉殺菌

Surface Protection 牆面保護



Nippon Paint Masker Tape
立邦和紙保護膜
Good covering effect and convenient
周全保護，整潔方便



Nippon Paint Adhesive Tape
立邦和紙膠帶
Good colour separation and no residual glue
分色整齊，不留殘膠

Tool 工具



Nippon Paint Premium All-in-One Paint Brush
立邦金裝全能油掃
Good absorption and smooth finishing
吸油量高，鬆得細緻



Nippon Paint 9" Good Quality Roller
立邦9寸優質油輥套裝
High efficiency and even finish
塗刷速度快，均勻細膩

即享nClub非凡體驗



NIPPON PAINT (H.K.) CO., LTD.

Tel: (852) 2699 9333 Fax: (852) 2602 8844 Email: np@nipponpaint.com.hk

www.nipponpaint.com.hk

A MEMBER OF THE NIPSEA GROUP

